	Application No.	Applicant(s)
Notice of Allowability	10/679,892	STARK ET AL.
	Examiner	Art Unit
	Rodney T. Frank	2856
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the application filed 6 October 2003.		
2. The allowed claim(s) is/are <u>1-20</u> .		
3. The drawings filed on <u>06 October 2003</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of 		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 10/6/03 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. Interview Summar Paper No./Mail D 8), 7. Examiner's Amend	ate

Application/Control Number: 10/679,892 Page 2

Art Unit: 2856

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-20 are allowed.

2. The following is an examiner's statement of reasons for allowance: A measuring gas cell comprising a bottom plate, a channel plate, and a cover plate, in combination with all other limitations of independent claim 1, and further, the method of using a measuring cell with the three plates described above, including all other limitations of the method claim 11 is not disclosed nor deemed obvious in view of the prior art of record. The prior art does not disclose nor render obvious a measurement cell for gas whereby a cover plate seals the measuring cell in the upward direction, thus granting functionality and/or an unexpected result for the design choice of the three plated cell as claimed in the present application. Further, to use such a cell with an anesthesia or respiratory device as in claim 11 is not disclosed nor deemed obvious in view of the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The examiner has cited various references that are deemed relevant to the general state of the art of the present invention.

Application/Control Number: 10/679,892 Page 3

Art Unit: 2856

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rodney T. Frank whose telephone number is (571) 272-2193. The examiner can normally be reached on M-F 9am -5:30p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron E. Williams can be reached on (571) 272-2208. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

RTF September 19, 2004

HEZRON WILLIAMS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800

Myon K. Will